Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 24, September 15, 2011

For the Period September 6 to 12, 2011

Significant harvest progress was made due to a week of great weather. Saskatchewan producers have 60 per cent of the 2011 crop combined and 27 per cent swathed or ready to straight cut, according to Saskatchewan Agriculture's Weekly Crop Report. The five year (2006-2010) provincial average for this time of year is 47 per cent combined and 30 per cent swathed or ready to straight-cut.

One year ago
Fourteen per cent of the crop had been combined. Significant rainfall throughout most of the province continued to delay harvest. Below zero temperatures were reported in some areas of the province.

Harvest progress varies across the province. The southwest and southeast have 71 per cent combined, the west-central and east-central regions have 57 per cent and 56 per cent combined, respectively; the northeast has 47 per cent combined and the northwest 39 per cent. Ninety-two per cent of the lentils, 94 per cent of the field peas, 56 per cent of the durum, 53 per cent of the spring wheat and canola and six per cent of the flax have been combined.

Harvest Progress in SK Per cent combined	
All Crops	
Sept 12/11	60
5 year avg. (2006-2010)	47
Sept 13/10	14
Sept 14/09	32
Sept 14/08	39
Sept 16/07	66
Sept 10/06	85

Across the province, topsoil moisture on cropland is rated as two per cent surplus, 69 per cent adequate, 26 per cent short and three per cent very short. Hay land and pasture topsoil moisture is rated as two per cent surplus, 63 per cent adequate, 33 per cent short and two per cent very short.

Saskatchewan Harvest % combined this week (September 12, 2011)	
Winter wheat	99
Fall rye*	98
Spring wheat	53
Durum	56
Oats**	34
Barley	58
Canola	53
Mustard	63
Flax	6
Lentils	92
Peas	94
Chickpeas	28
Canaryseed	18
*includes 10 per cent 'other'	
**includes four per cent 'other'	

Freezing temperatures were recorded throughout most of the province on September 13, which will have some effect on the late-seeded crops. Recent high winds rolled swaths around in some areas. In general, crop yields are reported to be average to above-average with the exception of the areas in the south and southeast that received excess moisture in the spring. Crop quality is good on the crop that has been combined to date.

Farmers are busy harvesting, seeding winter cereals, hauling bales and controlling weeds on unseeded acres.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Tel: (306) 694-3592. Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Temperatures dipped below 0C on September 13 for a few hours in most areas of the province. This will have an effect on late-seeded crops. Last week's very warm weather helped speed crop maturity. A better assessment of frost damage will be included with next week's Crop Report.

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Clear and very warm weather allowed producers to complete a large portion of harvest over last week. Seventy-one per cent of the 2011 crop has been combined, and 15 per cent is swathed or ready to straight-combine. Most areas received no rain for the week, although a few areas received trace amounts. Temperatures were 30C+ for several days, allowing crops to dry down for a quick harvest.

Crop District 1A has 67 per cent of the crop combined, CD 1B 62 per cent, CD 2A 76 per cent, CD 2B 74 per cent and CD 3ASE 82 per cent.

Crop reporters are indicating variable yields ranging from average to very poor. Canola, lentil, mustard and flax yields are variable and for the most part below average. Excess moisture and flooding at seeding time, followed by little rain during July and August, resulted in shallow root systems and reduced yields. Average yields are predicted to be as follows: winter wheat 39 bu/ac, spring wheat 28 bu/ac, durum 24 bu/ac, oats 47 bu/ac, barley 39 bu/ac, fall rye 35 bu/ac, flax 13 bu/ac, canola 23 bu/ac, mustard 600 lb./ac, lentils 800 lb./ac, peas 25 bu/ac and canaryseed 900 lb./ac. Yields in many areas in Crop District 2B are reported to be average to above average.

Topsoil moisture on cropland is reported as six per cent surplus, 69 per cent adequate, 22 per cent short and three per cent very short. On hay land and pasture, topsoil moisture is rated as four per cent surplus, 70 per cent adequate, 24 per cent short and two per cent very short.

The majority of crop damage is due to wind which blew swaths around. There are reports of combines getting stuck in fields in some areas. Producers are busy harvesting, seeding winter cereals, controlling weeds, baling straw and hauling bales.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

The region experienced warm and dry weather all week, allowing farmers to make excellent harvest progress. Very few areas reported rain, and those that did received less than 2 mm. Seventy-one per cent of the crop is in the bin. Fourteen per cent is swathed or ready to straight-combine. CD 3ASW has 56 per cent combined, CD 3AN 89 per cent, CD 3BS 57 per cent, CD 3BN 81 per cent, CD 4A 50 per cent and CD 4B 84 per cent. With a seeding window that stretched over a couple of months, harvest will be similarly extended in some areas. In other areas, farmers have completed harvest.

Average yields vary across the region, but for the most part are reported to be average to above average. Areas that had excess moisture in the spring have reported some disappointing yields. Average yields are predicted as follows: winter wheat 37 bu/ac, spring wheat 31 bu/ac, durum 33 bu/ac, oats 55 bu/ac, barley 51 bu/ac, fall rye 39

bu/ac, flax 19 bu/ac, canola 29 bu/ac, mustard 1,000 lb./ac, lentils 1,350 lb./ac, peas 40 bu/ac, canaryseed 1,000 lb./ac and chickpeas 1,100 lb./ac.

Topsoil moisture on cropland is reported as 60 per cent adequate, 34 per cent short and six per cent very short. On hay land and pasture, topsoil moisture is rated as 58 per cent adequate, 38 per cent short and four per cent very short. In crop districts 3AN and 4B, 70 and 48 per cent, respectively, of hay land and pasture are short of topsoil moisture.

The majority of crop damage is due to wind. In some areas, ergot in wheat and durum is causing quality issues.

East-Central Saskatchewan (Crop Districts 5 and 6a)

Good harvest progress was made in the east-central region despite a couple small rain showers. Fifty-six per cent of the crop has been combined. Thirty-two per cent is swathed or ready to straight-cut. Most of the areas that saw rain received less than 2 mm. The west side of the region is further advanced with harvest than the east side. Crop District 5A has 48 per cent combined, CD 5B 40 per cent and CD 6A 75 per cent.

Reported yields are variable throughout the region. Excess moisture on the east side of the region in the spring has resulted in some below-average yields in some areas, particularly in canola. In general, yields are reported to be average to above average. Average yields are reported as follows: winter wheat 43 bu/ac, spring wheat 37 bu/ac, durum 38 bu/ac, oats 75 bu/ac, barley 56 bu/ac, fall rye 34 bu/ac, flax 23 bu/ac, canola 31 bu/ac, mustard 1,150 lb./ac, lentils 1,500 lb./ac, peas 36 bu/ac and canaryseed 1,000 lb./ac.

Topsoil moisture on cropland is reported as four per cent surplus, 82 per cent adequate and 14 per cent short. On hay land and pasture, topsoil moisture is rated as three per cent surplus, 74 per cent adequate, 20 per cent short and three per cent very short.

Wind caused some canola and flax swaths to blow around. Ergot is causing some quality issues in wheat and durum. Geese and cranes are feeding on some cereal swaths along Last Mountain Lake. Canola that was binned during the hot weather last week is being aerated. Winter wheat is emerging.

Farmers are busy harvesting, controlling weeds, baling straw and hauling bales.

West-Central Saskatchewan (Crop Districts 6B and 7)

A warm week in many areas allowed producers to continue with harvest. Producers have 57 per cent of the crop in the bin. Thirty per cent of the crop is swathed or ready to straight-cut. Crop District 6B has 60 per cent combined, CD 7A 57 per cent and CD 7B has 52 per cent combined. Very little rain fell in the region, causing only a brief lull in combining. Although most areas received only trace amounts of rain for the week, the Dinsmore area received 15 mm. All in all, it was a great harvest week in the region. Temperatures hit 34C+ in some areas last week.

Many producers are expecting excellent yields. In general, the region has reported average to above-average yields. Average yields are indicated as follows: winter wheat 43 bu/ac, spring wheat 39 bu/ac, durum 41 bu/ac, oats 63 bu/ac, barley 57 bu/ac, fall rye 27 bu/ac, flax 24 bu/ac, canola 35 bu/ac, mustard 1,200 lb./ac, lentils 1,300 lb./ac, peas 38 bu/ac, canaryseed 1,000 lb./ac and chickpeas 1,000 lb./ac.

Topsoil moisture on cropland is reported as one per cent surplus, 60 per cent adequate, 37 per cent short and two per cent very short. On hay land and pasture, topsoil moisture is rated as one per cent surplus, 54 per cent adequate, 42 per cent short and three per cent very short.

The majority of crop damage is due to wind blowing swaths around. Ergot in wheat and durum is causing some quality issues. Producers are busy harvesting, hauling bales and controlling weeds.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Good harvest progress was made in the region, despite some sporadic rain showers. Forty-seven per cent of the 2011 crop has been combined. Forty-two per cent is swathed or ready to straight-cut. Combines had to be shut down for a day or so, depending on the rain. Other areas had very few rain interruptions. Precipitation ranged from nil to 10 mm. The Tisdale area received 10 mm, the Nipawin area 4 mm, the Vonda area 5 mm and the Kinistino and Garrick areas 3 mm.

Crop District 8A has 45 per cent of the crop combined, CD 8B 53 per cent and CD 9AE 32 per cent.

In general, the region is expecting average crop yields, although those areas that received excess spring moisture and flooding are expecting below-average yields. Average yields are indicated as follows: winter wheat 40 bu/ac, spring wheat 41 bu/ac, oats 88 bu/ac, barley 64 bu/ac, fall rye 39 bu/ac, flax 22 bu/ac, canola 32 bu/ac, lentils 1,000 lb./ac, peas 36 bu/ac and canaryseed 1,200 lb./ac.

Topsoil moisture on cropland is reported as 77 per cent adequate, 19 per cent short and four per cent short. On hay land and pasture, topsoil moisture is rated 49 per cent adequate and 51 per cent short.

The majority of crop damage is due to wind blowing swaths around. Most farmers are indicating quality has been good on the crops that have been harvested.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

The region experienced warm and dry weather for most of the week, allowing farmers to make good harvest progress, although rain showers late in the week in the north resulted in some harvest delays. The region has 39 per cent of the 2011 crop in the bin. Forty-nine per cent is swathed or ready to straight-cut. Precipitation ranged from nil to

10 mm. The Barthel area received 5 mm, the Rapid View area 10 mm and the Meadow Lake area 8 mm.

Crop District 9AW has 52 per cent of the crop combined and CD 9B has 26 per cent of the crop combined.

Yields in the region are expected to be average to above average. The area, particularly the northern part, received excess moisture and flooding during the spring and into the summer months. The frost on September 13 will most likely have an effect on the later-seeded crops. Some areas reported temperatures of -1C for a couple of hours on September 12. Producers are still trying to assess the extent of frost damage. Average yields are indicated as follows: spring wheat 48 bu/ac, oats 82 bu/ac, barley 65 bu/ac, flax 20 bu/ac, canola 35 bu/ac and peas 36 bu/ac.

Topsoil moisture on cropland is reported as 74 per cent adequate and 26 per cent short. On hay land and pasture, topsoil moisture is rated as 49 per cent adequate and 51 per cent short.

The majority of crop damage is due to wind blowing swaths around. High temperatures last week had grain going into the bin hot, so producers are closely watching their stored grain.

Saskatchewan Harvest Progress September 12, 2011

winter wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW	0	0	1	99
EC	0	0	0	100
WC	0	0	0	100
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Fall rye	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW*	0	0	0	83
EC	0	0	0	100
WC**	0	0	0	98
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

*17 per cent rated as 'other'
**two per cent rated as 'other'

Spring wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	13	14	7	66
SW	19	5	18	58
EC	17	25	14	44
WC	16	14	23	47
NE	11	7	24	58
NW	16	13	29	42

Durum	% Standing	% in swath	% ready to straight combine	% combined
SE	8	9	10	73
SW	21	3	18	58
EC	10	17	13	60
WC	37	13	21	29
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Oats	% Standing	% in swath	% ready to straight combine	% combined
SE*	38	17	2	38
SW**	22	9	15	45
EC	36	32	6	26
WC±	37	23	7	27
NE	35	11	28	26
NW°	35	23	13	24

*five per cent is rated as 'other'
**nine per cent is rated as 'other'
± six per cent is rated as 'other'
°five per cent is rated as 'other'

Barley	% Standing	% in swath	% ready to straight combine	% combined
SE*	9	10	2	77
SW	27	3	9	61
EC	14	19	6	61
WC	16	14	15	55
NE	8	15	14	63
NW	20	23	21	36

*two per cent is rated as 'other'

Lentils	% Standing	% in swath	% ready to straight combine	% combined
SE	1	0	3	96
SW	4	1	2	93
EC	2	0	5	93
WC	3	1	7	89
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Peas	% Standing	% in swath	% ready to straight combine	% combined
SE	1	0	1	98
SW	1	0	2	97
EC	2	1	1	96
WC	4	0	4	92
NE	2	0	3	95
NW	2	1	12	85

Chickpeas	% Standing	% in swath	% ready to straight combine	% combined
SE	1	0	0	99
SW	98	0	2	0
EC	0	0	30	70
WC	25	5	28	42
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Canola	% Standing	% in swath	% ready to straight combine	% combined
SE	5	19	1	75
SW	5	6	1	88
EC	6	38	1	55
WC	3	41	3	53
NE	9	58	2	31
NW	5	62	5	28

Mustard	% Standing	% in swath	% ready to straight combine	% combined
SE	18	0	0	82
SW	11	17	3	69
EC	23	15	6	56
WC	30	30	11	29
NE	0	13	20	67
NW	N/A	N/A	N/A	N/A

Canaryseed	% Standing	% in swath	% ready to straight combine	% combined
SE	68	8	0	24
SW	35	4	22	39
EC	70	7	15	8
WC	69	8	13	10
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Flax	% Standing	% in swath	% ready to straight combine	% combined
SE	81	8	4	7
SW	62	8	19	11
EC	81	9	7	3
WC	88	3	6	3
NE	80	8	6	6
NW	61	13	18	8

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending September 12, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 14, 2011

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period Sept 5 to 12, 2011

Crop Dist.	R.M. No.	Past Name	Week	Since 1-Apr
1A	1	Argyle	N/A	240
	2	Mount Pleasant	N/A	294
	3	Enniskillen	NIL	361
	33	Moose Creek	N/A	344
	34	Browning	N/A	386
	61	Antler	N/A	305
	63	Moose Mountain	NIL	363
	64	Brock	NIL	351
	65	Tecumseh	N/A	501
1B	91	Maryfield	NIL	384
	92	Walpole	N/A	282
	95	Golden West	NIL	396
	122	Martin	NIL	500
	123	Silverwood	NIL	392
	124 A	Kingsley	N/A	353
	125	Chester	N/A	287
	151 A	Rocanville	NIL	480
	151 B	Rocanville	N/A	394
	153	Willowdale	NIL	396
	154	Elcapo	NIL	359
	155	Wolseley	NIL	407
2A	66	Griffin	N/A	316
	67	Weyburn	NIL	497
	68	Brokenshell	NIL	485
	69	Norton	N/A	366
	97	Wellington	NIL	458
2B	127 A	Francis	NIL	380
	127 B	Francis	NIL	284
	129	Bratt's Lake	NIL	286
	156	Indian Head	NIL	380
	160 A	Pense	NIL	200
	160 B	Pense	NIL	251
	161	Moose Jaw	NIL	183
	191	Marquis	NIL	208
3ASE	38 A	Laurier	NIL	445
	38 B	Laurier	NIL	451
	39 A	The Gap	NIL	355
	39 B	The Gap	NIL	492
	10	Happy Valley	NIL	508
3ASW	12	Poplar Valley	NIL	332
	40	Bengough	NIL	503
	42	Willow Bunch	N/A	416
	43	Old Post	NIL	421
	44 A	Waverley	N/A	313
	44 B	Waverley	N/A	311
	70	Key West	NIL	473
	71	Excel	N/A	415
	73 A	Stonehenge	NIL	358
	73 B	Stonehenge	N/A	390
	74	Wood River	1.6	349
	17	Val Marie	NIL	530
3AN	18	Lone Tree	N/A	259
	45	Mankota	NIL	536
	75 A	Pinto Creek	NIL	356
	75 B	Pinto Creek	N/A	362
	76 A	Auvergne	NIL	283
	76 B	Auvergne	NIL	276
	77	Wise Creek	NIL	276
	78 A	Grassy Creek	NIL	339
	78 B	Grassy Creek	NIL	326
	78 C	Grassy Creek	N/A	269
	101	Terrell	NIL	305
	102	Lake Johnston	NIL	312
	103	Sutton	N/A	339
	105	Glenbain	NIL	346
	106	Whiska Creek	NIL	295
	107	Lac Pelletier	N/A	237
	108	Bone Creek	N/A	307
	134	Shamrock	N/A	270
	164	Chaplin	N/A	314
	193 A	Eyebrow	NIL	217
	193 B	Eyebrow	NIL	229
	194	Enfield	N/A	219
	138	Webb	NIL	236
3BN	166	Excelsior	NIL	285
	167	Sask. Landing	1.39	323
	168	Riverside	NIL	227
	226	Victory	N/A	226
	228	Lacadena	NIL	224
	257	Monet	NIL	208

Crop Dist.	R.M. No.	Past Name	Week	Since 1-Apr
4A	109	Carmichael	N/A	308
	110	Piapot	NIL	164
	111	Maple Creek	N/A	151
	49 A	White Valley	N/A	226
	49 B	White Valley	N/A	215
	51	Reno	NIL	330
	79	Arlington	NIL	243
4B	139	Gull Lake	1	203
	141	Big Stick	NIL	186
	142	Enterprise	NIL	203
	169	Pilkville	N/A	170
	171	Fox Valley	N/A	194
	231	Happyland	NIL	216
5A	183	Fertile Belt	44	542
	186	Abernethy	NIL	312
	211	Churchbridge	NIL	422
	213	Saltcoats	NIL	417
	216	Tullymet	NIL	288
	217	Lipton	N/A	265
	241	Calder	1	364
	243	Wallace	NIL	336
	245 A	Garry	N/A	310
	245 B	Garry	NIL	419
	245 C	Garry	1	382
	246	Iluna Bon Accord	2	328
	247	Kellross	NIL	314
	248	Touchwood	6	213
5B	271	Cote	2	290
	276	Foam Lake	N/A	42
	277	Emerald	2	306
	305	Invermay	NIL	379
	307	Elfros	2	397
	308	Big Quill	1	216
	333 A	Clayton	N/A	NIL
	333 B	Clayton	NIL	348
	334	Preeceville	NIL	331
	335	Hazel Dell	NIL	309
	336	Sasman	NIL	330
	337	Lakeview	NIL	297
	338	Lakeside	NIL	229
	386	Kelvington	1	308
6A	189	Lumsden	N/A	231
	190 A	Dufferin	NIL	256
	190 B	Dufferin	NIL	241
	190 C	Dufferin	NIL	189
	190 D	Dufferin	N/A	197
	219	Longlaketon	NIL	213
	220	Mckillop	NIL	209
	221	Sarnia	1	263
	222	Craik	1	244
	251	Big Arm	1	246
	252	Arm River	NIL	210
	279	Mount Hope	N/A	261
	280	Wreford	N/A	224
	282	Mccraney	2	261
	309	Prairie Rose	1	228
	313	Lost River	N/A	150
	339	Leroy	0.2	225
	340	Wolverine	NIL	219
	341	Viscount	N/A	205
	343	Blucher	0.5	175
6B	283	Rosedale	1	150
	284	Rudy	NIL	261
	285	Fertile Valley	1	248
	286	Milden	15	342
	314	Dundurn	1	219
	344	Corman Park	NIL	264
	346	Perdue	1	315
	376 A	Eagle Creek	N/A	252
	376 B	Eagle Creek	1	259
	403	Rosthern	NIL	257
7A	260 A	Newcombe	N/A	102
	260 B	Newcombe	N/A	214
	261	Chesterfield	N/A	58
	287	St. Andrews	NIL	219
	288	Pleasant Valley	NIL	168
	290 A	Kindersley	1	195
	290 B	Kindersley	N/A	66
	292	Milton	N/A	180
	317 A	Marriott	N/A	318
	317 B	Marriott	3	306
	318 B	Mountain View	N/A	284
	320 A	Oakdale	NIL	261
	320 B	Oakdale	NIL	205
	321	Prairiedale	NIL	271

Crop Dist.	R.M. No.	Past Name	Week	Since 1-Apr
7B	347 A	Biggar	NIL	262
	347 B	Biggar	N/A	279
	350 A	Mariposa	NIL	220
	350 B	Mariposa	NIL	261
	351	Progress	N/A	225
	352	Heart's Hill	NIL	309
	377	Glenside	NIL	293
	378 A	Rosemount	NIL	267
	378 B	Rosemount	NIL	262
	379	Reford	NIL	251
	380	Tramping Lake	N/A	182
	381	Grass Lake	N/A	221
	409 A	Buffalo	N/A	248
	409 B	Buffalo	N/A	247
	410	Round Valley	NIL	295
	411	Senlac	N/A	248
8A	395	Porcupine	3	308
	397	Barrier Valley	4.79	287
	428	Star City	1	182
	456	Arborfield	3	239
	457	Connaught	10	282
	458	Willow Creek	3	293
	486	Moose Range	N/A	247
	487	Nipawin	4	223
8B	369	St. Peter	2	121
	370	Humboldt	NIL	191
	371 A	Bayne	N/A	205
	372	Grant	5	280
	402	Fish Creek	NIL	296
	429	Flett's Springs	1	254
	459	Kinistino	3	248
	460	Birch Hills	NIL	327
9AE	461	Prince Albert	0.5	267
	488 A	Torch River	3	349
	488 B	Torch River	N/A	NIL
	491	Buckland	0.05	218
9AW	405	Mayfield	NIL	222
	435	Redberry	1	276
	436	Douglas	1	231
	463	Duck Lake	NIL	252
	464	Leask	N/A	323
	467 A	Round Hill	N/A	177
	467 B	Round Hill	N/A	240
	494	Canwood	N/A	383
	496	Spiritwood	N/A	53
	497	Medstead	N/A	193
9B	438	Battle River	NIL	240
	440	Hillsdale	NIL	190
	442	Manitou Lake	0.3	250
	468 A	Meota	N/A	32
	468 B	Meota	N/A	285
	468 C	Meota	N/A	356
	498 A	Parkdale	NIL	373
	498 B	Parkdale	N/A	233
	499	Mervin	NIL	331
	501 A	Frenchman Butte	2	287
	501 B	Frenchman Butte	NIL	210
	501 C	Frenchman Butte	1	369
	561	Loon Lake	5	311
	588 A	Meadow Lake	6	318
	588 B	Meadow Lake	10	403
	588 C	Meadow Lake	8	476
	588 D	Meadow Lake	N/A	549
	622	Beaver River	N/A	258

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2011
To: September 12, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 3.0, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 14, 2011

Cropland Topsoil Moisture Conditions

September 13, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 14, 2011

Hay and Pasture Topsoil Moisture Conditions

September 13, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 14, 2011